

Ypsilon

4790V - 4793V

DESIGN
Jorge Pensi Design Studio

PEDRALI[®]

100%
MADE IN
ITALY



EN: Table base with die-cast aluminium base and extruded aluminium column with adapter for glass top

IT: Basamento con base in pressofusione di alluminio e tubo in estruso di alluminio con adattatore per ripiani in vetro


DE: Gestell mit Bodenplatte aus Aluminium-Druckguss und Rohr aus extrudiertem Aluminium mit Adapter für Glasplatte

FR: Piètement avec base en aluminium moulé sous pression et tube en aluminium extrudé avec adaptateur pour plateaux verre



ES: Pie de mesa con base en fundición de aluminio y tubo en extruido de aluminio con adaptador para los sobres de cristal

mm - in

• 4793V



TOP MAX



mc 0,067
ft³ 2.4


kg 3,7
lb 8.2

Q.ty/pallet

• 4790V



TOP MAX



mc 0,067
ft³ 2.4

kg 4
lb 8.8

Q.ty/pallet

Reproduction of this document is strictly prohibited without prior written authorisation from Pedrali SpA. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Pedrali SpA. Dimensioni, pesi e finiture possono variare senza alcun preavviso.

ST_YPSILON_4790V_4793V_2022.0

DESIGN
Jorge Pensi Design Studio

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• BASE - BASE - BODENPLATTE - BASE - BASE

EN: Ø660 mm, die-cast aluminium, sandblasted
IT: Ø660 mm, pressofusione d'alluminio, sabbiata
DE: Ø660 mm, Aluminium-Druckguss, Sandgestrahlt
FR: Ø660 mm, aluminium moulé sous-préssion, sablée
ES: Ø660 mm, fusión de aluminio, arenada

• COLUMN - COLONNA - SÄULE - COLONNE - COLUMNNA

EN: Aluminium extrusion
IT: Estruso d'alluminio
DE: Aluminium-Fließpressen
FR: Aluminium extrusion
ES: Extrusión de aluminio

FINISH - FINITURA - AUSFÜHRUNG - FINITION - ACABADO

EN: Powder coating
IT: Verniciato a polvere
DE: Pulverbeschichtet
FR: Époxy à poudre
ES: Barnizado en polvo



EN: For more information see finishing legend on the website
IT: Per maggiori informazioni vedere legenda finiture sul sito web

EN: Polished aluminium
IT: Alluminio lucidato
DE: Aluminium poliert
FR: Aluminium Poli
ES: Aluminio Pulido



EN: Aluminium anodised
IT: Alluminio anodizzato
DE: Aluminium eloxiert
FR: Aluminium anodisé
ES: Aluminio anodizado



• ADAPTER - ADATTATORE - ADAPTER - ADAPTEUR - ADAPTADOR

EN: Adapter for plate 4011 and 4013 for glass tops
IT: Adattatore per piastra 4011 e 4013 per ripiani in vetro
DE: Adapter für Tischkreuz 4011 und 4013 für Glasplatte
FR: Adaptateur pour plaque 4011 et 4013 pour plateaux verre
ES: Adaptador para la placa 4011 y 4013 para los sobres de cristal

FEET

Piedini
Gleiter
Patins
Tacos

code **PIEDINI4790**

EN: Fixed, Technopolymer, opaline
IT: Fissi, in tecnopolimero, opalino
DE: Standard Gleiter, Technopolymern, opalen
FR: Fixes, en tecnopolymère, opalin
ES: Fijos, en tecnopolímero, opalino

REGULATIONS AND CERTIFICATES

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT SUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilità del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Steel Acciaio	0,4	10,35	YES	33,2	100
Extruded aluminium Alluminio estruso	0,7	18,11	YES	0	100
Die-cast aluminium Alluminio pressofuso	2,7	70,24	YES	94	100
Tecnopolymer Tecnopolimero	0,02	0,61	YES	40	100
Polyamide Poliammide	0,03	0,69	YES	0	100
TOTAL TOTALE	3,84 Kg	--	--	69,7 %	100 %

EN: Percentages referred to 4790V

IT: Percentuali riferite al 4790V

• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

ISO 14001

Environmental management system

Sistema di gestione ambientale

ISO 9001

Quality management system

Sistema di gestione della qualità

