



Description

Puro Eclectic is a new suspension light composition comprising handblown Puro tubes. The primary aim was to create a simple yet linearly dynamic and expressive composition to hang above dining tables. The name Eclectic was chosen based on the variously adjustable diagonal and intercommunicating glass tubes.

Tech. description

The Puro Eclectic light comprises three Puro tubes suspended from a single ceiling canopy. Each tube is hung from the power cable with Brokis connector and a wire rope. The electronics are housed in the ceiling canopy.




Colours options: https://brokis.sharepoint.com/:b:/s/brokis_sp/EZ-g05txsNhBIPlz3VDE2QMBceeHsS6-3RbumD5qDdY4sw

CONSTRUCTION SPECIFICATION

Weight:	22 kg
Construction material:	glass, metal
Cord length [mm]:	2,000 mm
Mounting:	Ceiling
Environment:	Indoor

DIMENSIONS [mm]



ELECTRICAL SPECIFICATION

Input voltage [V]:	100 - 240 V
Frequency [Hz]:	50-60 Hz
Max. power [W]:	45 W LED
Coverage IP:	20
Socket:	-
Light source:	non-user replaceable LED module
Energy class:	A+

CERTIFICATIONS





CP7054

Type	LED module
Lamp wattage [W]	15 W
Input voltage [V]	24 VDC
Energy class	A+
Flux [lm]	1100 lm
Light colour [K]	2700 K
CRI	80+
Lifespan [h]	20000h
Dimmable	yes (PWM)

DATASHEET


RECOMENDED CANOPY



Download



CEILING CANOPY

Dimensions l x w x h [mm] 1020 x 520 x 50 mm
Weight [kg] 13,5 kg
Material metal



Drawing

Canopy bracket



BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

2021_02
PAGE 3