

# Sunset

Paolo Dell'Elce  
2015

IT – Lampada ad emissione indiretta realizzata in alluminio.  
All'aspetto emozionale si collega quello funzionale: la testa curva della lampada infatti è stata concepita per sfruttare al meglio la riflessione della luce sulle pareti.

EN – This indirect-lighting lamp is made of aluminium. Its emotional shape is also functional: in fact, the curved head of the lamp has been designed to enhance the reflection of light onto the walls.

DE – Aluminiumleuchte mit indirekter Lichtabstrahlung. Zu dem emotionalen Aspekt gesellt sich der praktische: der gewölbte Kopf der Lampe wurde so konzipiert, um auf bestmögliche Weise die Reflexion des Lichts an den Wänden auszunutzen.

FR – Lampe à émission indirecte en aluminium. Son aspect émotionnel est étroitement lié à son rôle fonctionnel : la tête recourbée de la lampe est en effet conçue pour exploiter au mieux la réflexion de la lumière sur les murs.

ES – Lámpara de emisión indirecta realizada de aluminio. Al aspecto emocional se une el aspecto funcional: la cabeza curva de la lámpara ha sido concebida para aprovechar del mejor modo posible la reflexión de la luz en las paredes.



320

# Sunset



Design  
Paolo Dell'Elce

Year  
15

Category: Floor / Wall

321

## Sunset F1



### GENERAL

Floor  
Standing  
Foot dimmer  
IP20  
3.000 lumen - luminaire flux  
Indoor use

### LED


ACRICHE HV LED  
2.700K, 3.000K  
CRI 90  
230V  
Macadam step 3  
LED Life L70 B50 > 50.000 h  
Energy Class: F

### ELECTRICAL


220-240 V 50 Hz  
32W  
Class 2  
Driver included  
Europe plug

### OPTICAL | PHOTOMETRIC

Lighting type: Indirect  
Light distribution: Asymmetric



## Sunset W0



### GENERAL

Wall  
Surface  
Phase  
IP20  
3.000 lumen - luminaire flux  
Indoor use

### LED


ACRICHE HV LED  
2.700K, 3.000K  
CRI 90  
230V  
Macadam step 3  
LED Life L70 B50 > 50.000 h  
Energy Class: F

### ELECTRICAL

220-240 V 50 Hz  
32W  
Class 1  
Driver included

### OPTICAL | PHOTOMETRIC

Lighting type: Indirect  
Light distribution: Asymmetric



### Catalogue

63 Matt white

#### Satin Collection (upon request)

20 Graphite   33 Royal gold   43 Silver   48 Dark bronze   62 Matt black   64 Bronze   65 Champagne

#### Warm Collection (upon request)

W2 Sand   W4 Rope color   W6 Dove-gray   W8 Coffee

322

## Sunset




Design  
Paolo Dell'Elce

Year  
15

Category: Floor / Wall 

323

## Sunset W1



## GENERAL

Wall  
Surface  
Phase  
IP20  
3.000 lumen - luminaire flux  
Indoor use

## LED


ACRICHE HV LED  
2.700K, 3.000K  
CRI 90  
230V  
Macadam step 3  
LED Life L70 B50 > 50.000 h  
Energy Class: F

## ELECTRICAL

220-240 V 50 Hz  
32W  
Class 2  
Driver included  
Europe plug

## OPTICAL | PHOTOMETRIC

Lighting type: Indirect  
Light distribution: Asymmetric



## COLOURS

## Catalogue

63 Matt white

## Satin Collection (upon request)

20 Graphite

33 Royal gold

43 Silver

48 Dark bronze

62 Matt black

64 Bronze

65 Champagne

## Warm Collection (upon request)

W2 Sand

W4 Rope color

W6 Dove-gray

W8 Coffee